

GENERAL INFORMATION

Report ID Number	[20211123ENS]	
Developer Name	EnSoftek Inc	
Product Name(s)	DrCloudEHR	
Version Number(s)	2020	
Certified Health IT Product	15.02.05.1434.ENST.01.01.1.220218 (current),	
List (CHPL) ID(s)	15.02.02.1434.A096.01.00.1.190529 (previous)	
Developer Real World Testing	https://www.drcloudemr.com/resources/dr-cloud-ehr-onc-	
PLAN Page URL	compliant-real-world-testing/	
Developer Real World Testing	https://www.drcloudemr.com/resources/dr-cloud-ehr-onc-	
RESULTS Page URL	compliant-real-world-testing/	

[OPTIONAL] CHANGES TO ORIGINAL PLAN

If a developer has made any changes to their approach for Real World Testing that differs from what was outlined in their plan, note these changes here.

Summary of Change [Summarize each element that changed between the plan and actual execution of Real World Testing]	Reason [Describe the reason this change occurred]	Impact [Describe what impact this change had on the execution of your Real World Testing activities]
Removed: • 170.315(f)(1) Transmission to immunization registries • 170.315(f)(2) Transmission to public health agencies — syndromic surveillance.	Because we cannot access the third party data tables to review data. Review will happen via using their application in a browser	None.
For usability Data Review measure		



If a developer withdrew any products within the past year that were previously included in their Real World Testing plan, please provide the following information.

Product Name(s):	
Version Number(s):	
CHPL ID(s):	
Date(s) Withdrawn:	
Inclusion of Data in Results	
Report:	
[Provide a statement as to	
whether any data was captured on	
the withdrawn products. If so, this	
data should be identified in the	
results report.]	

SUMMARY OF TESTING METHODS AND KEY FINDINGS

DrCloudEHR is marketed to behavioral health and human services in the public and private sector all over the US. For this reason, the Real-World Testing plan will apply to this specialty care setting. Agencies that use DrCloudEHR provide mental health counseling, behavioral health counseling and substance use disorder treatment services.

Our approach to testing was focused on making sure the system is usable for clinical, medical, billing, and reporting purposes by the agencies using DrCloudEHR. A major element of focus in application design was to promote interoperability and sharing of information between agencies and EHRs using industry standard protocols and mechanisms compliant with ONCHIT compliant certification. We worked with selected partner agencies and staff to test the applicable criteria for which DrCloudEHR is certified. All required data elements compliant with certification was ensured by exporting data in formats we are certified for and any information that is exchanged has tested to make sure they in compliance with certification requirements.

The following criteria were tested:

Care Coordination

- 170.315(b)(1) Transitions of care
- 170.315(b)(2) Clinical information reconciliation and incorporation
- 170.315(b)(3) Electronic prescribing DrFirst
- 170.315(b)(6) Data export.

Applicable clinical quality measures

• 170.315(c)(1)-(3)

Supported patient engagement criteria:

• 170.315(e)(1) View, download, and transmit to 3rd party.

Following public health criteria

- 170.315(f)(1) Transmission to immunization registries
- 170.315(f)(2) Transmission to public health agencies syndromic surveillance.

Included measures for the following Application Programming Interfaces (APIs) criteria



 170.315(g)(7) Application access — pa 	itient selection
---	------------------

- 170.315(g)(8) Application access— data category request
- 170.315(g)(9) Application access all data request and the electronic exchange criteria
- 170.315(h)(1) Direct project.

STANDARDS UPDATES (INCLUDING STANDARDS VERSION ADVANCEMENT PROCESS (SVAP) AND UNITED STATES CORE DATA FOR INTEROPERABILITY (USCDI))

Both required and voluntary standards updates must be addressed in the Real World Testing plan. Real World Testing plans must include all certified health IT updated to newer versions of standards prior to August 31 of the year in which the updates were made.

Indicate as to whether optional standards, via SVAP and/or USCDI, are leveraged as part of the certification of your health IT product(s).

Ye	es, I have products certified with voluntary SVAP or USCDI standards. (If yes, please
complet	te the table below).
_No	No, none of my products include these voluntary standards

Standard (and version)	All standards are those specified prior to August 31, 2021.
Updated certification criteria	N/A
and associated product	
Health IT Module CHPL ID	N/A
Conformance measure	N/A

Care Setting(s)

Behavioral Healthcare	
Integrated Care	
Coordination of Care	



Metrics and Outcomes

Measurement /Metric	Associated Criterion(a)	Relied Upon Software (if applicable)	Outcomes	Challenges Encountered (if applicable)
Usability Test	§ 170.315(b)(1) Transitions of care		100% of Users were able to import CCDA documents into DrCloudEHR for 100% of the sites tested	Not applicable
	incorporation	DrFirst for electronic prescribing and med reconciliation.	reconcile and incorporate health information as defined by the criteria for 100% of the sites tested	
	§ 170.315(b)(3) Electronic prescribing - DrFirst	DrFirst for electronic prescribing and med reconciliation.	The test user was able to successfully prescribe electronically, reconcile meds and incorporate the data within DrCloudEHR 100% of the time.	
	transmit to 3rd party	Portal interface with EMR Direct is used to transmit data via the Direct Project or Direct Trust network to meet these criteria.	were able to download and transmit the data via EMR Direct 100% of the time.	
	§ 170.315(f)(1) Transmission to		Users are able to document	

	immunization		immunizations	
	registries		and receive a	
			response from	
			the registry	
			acknowledging	
			that the VXU or	
			QBP message was	
			successfully	
			received for	
			100% of the	
			records	
			transmitted.	
	§ 170.315(f)(2)		As defined by the	
	Transmission to		Criteria,	
	public health		syndromic	
	agencies —		surveillance	
	syndromic		messages	
	surveillance		transmitted to a	
	Sarvemance		registry are	
			successfully	
			received and	
			acknowledged by	
			a state registry.	
	§ 170.315(g)(7)		Patient IDs were	
	Application access—		retrieved so we	
	patient selection		can use them in	
			testing for g(8)	
			and g(9) 100% of	
			the time	
	§ 170.315(h)(1)	DrCloudEHR	Direct Messages	
	Direct Project	EMRDirect	were successfully	
	Direct Project	Interface	received	
		merrace	bidirectionally	
			100% of the time.	
	\$ 170 21E/a\/1\		export/import file	
	§ 170.315(c)(1)		1 ' ' '	
	Record and export		was successfully	
	§ 170.315(c)(2)		generated for	
	Import and calculate		each clinical	
	§ 170.315(c)(3)		quality measure	
	Report		used by the	
			customer and	
			CCDAs were	
			viewed with	
			DrCloudEHR	
			100% of the time	
Audit Log Review	§ 170.315(b)(6) Data		Users were able	
	export		to export CCDA	
	CAPOTE		files using the	
		1	illes usilig tile	



		Patient Portal for	П
		100% of the test	
		patients.	
	§ 170.315(g)(8)	Patient Data was	
	Application access—	retrieved for each	
	data category request	category request	
		for patient being	
		queried (100%	
		success)	
	§ 170.315(g)(9)	APIs returned all	
	Application	data categories	
	access— all data	from the CCDS	
	request	compliant to the	
	. equest	criterion (100% of	
		the time).	
Data Review	§ 170.315(c)(1)	export/import file	
	Record and export	was successfully	
	§ 170.315(c)(2)	generated for	
	Import and calculate	each clinical	
	§ 170.315(c)(3)	quality measure	
	Report	used by the	
		customer and	
		CCDAs were	
		viewed with	
		DrCloudEHR	
		100% of the time	


KEY MILESTONES

Key Milestone	Care Setting	Date/Timeframe
Identify users to be part of testing	- Behavioral	Q2 2022
	Healthcare	
	- Integrated Care	
	Coordination of Care	
Conduct testing	- Behavioral	Q3 2022
	Healthcare	
	- Integrated Care	
	Coordination of Care	
Publish results of Testing	- Behavioral	02/10/2023
	Healthcare	
	- Integrated Care	
	Coordination of Care	
Submitted Report to ACB	-	02/16/2023


Appendix:




170.315(b)(1) Transitions of care



170.315(b)(2) Clinical information reconciliation and incorporation




170.315(b)(3) Electronic prescribing - DrFirst




170.315(e)(1) View, download, and transmit to 3rd party






170.315(h)(1) Direct Project





170.315(c)(1) Record and export ,170.315(c)(2) Import and calculate and 170.315(c)(3) Report



170.315(f)(1) Transmission to immunization registries

QRDA I Successfully parsed


Z22 Profile Generation

Standard Measures



Z42 Profile Response






Z44 Profile generation



Z33Profile Response



Z23 Profile Response

